According to Regulation (EC) No 1907/2006



Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile Multilayer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier:

Commercial product name: Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour,

Zirkon BioStar HT Smile Multilayer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile Multilayer milling blanks are intended

for the fabrication of fixed dentures for long-term use.

Uses advised against: No information available.

Details of the supplier of the safety data sheet

Company name: Dental Direkt GmbH

Street: Industriezentrum 106-108

Place: DE-32139 Spenge

Telephone: +49-(0)5225 - 8 63 19-0 Telefax +49-(0)5225 - 8 63 19-99 e-mail: info@dentaldirekt.de

Internet: www.dentaldirekt.de Responsible Department: info@dentaldirekt.de

ERNST HINRICHS Dental GmbH Supplier:

Street / mailbox: Borsigstr. 1

DE - 38644 Goslar Country code. / postal code / city: +49 (0) 53 21 / 5 06 24 Phone: 0 53 21 / 5 08 81 Fax:

E-mail / Website: info@hinrichs-dental.de / www.hinrichs-dental.de

Emergency telephone number +49 (0) 761 19240 (VIZ Freiburg); Poisons information Centre

of Ireland +353 1 809 21 66; http://www.poisons.ie/Public

Further Information: Medical device

SECTION 2: Hazards identification

Classification of the substance or mixture

Regulation (EC) No. 1272/2008: Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2 Label Elements

Regulation (EC) No 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3 Other hazards: The substances in the mixture do not meet the PBT/vPvB

criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as

According to Regulation (EC) No 1907/2006



Page 2 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile

Multilayer

no components meets the criteria. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization:

The product contains: Yttrium zirconium oxide

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
12061-16-4	Dierbium trioxide < 1 %			
	235-045-7			
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name		Quantity
	Specific Conc. Limits, M-factors and ATE			
12061-16-4	235-045-7	Dierbium trioxide		< 1 %
	M chron.; H410: M=1			

Further Information:

No information available.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash it before reuse. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if

possible).

After inhalation: Remove person to fresh air and keep comfortable for

breathing. In case of respiratory tract irritation, consult a

physician.

After contact with skin: After contact with skin, wash immediately with plenty of water

and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes: Protect uninjured eye.

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an

ophthalmologist.

After ingestion: Rinse mouth immediately and drink plenty of water. Never give

anything by mouth to an unconscious person or a person with

cramps. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects,

both acute and delayed:

Reference to other sections: 11

According to Regulation (EC) No 1907/2006



Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025 Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile

Multilayer

4.3 Indication of any immediate medical

attention and special treatment needed:

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agent:

The product itself does not burn. Co-ordinate fire-fighting

measures to the fire surroundings.

Unsuitable extinguishing media: No data available

5.2 Special hazards arising from the

substance or mixture:

In case of fire may be liberated: Carbon dioxide (CO2), Carbon

monoxide, MetalOx

5.3 Advice for firefighters: In case of fire: Wear self-contained breathing apparatus.

Additional information: Do not allow run-off from fire-fighting to enter drains or water

courses.

Residues of fire and contaminated water have to be disposed

according to the local regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice:

See protective measures under point 7 and 8. Personal protection equipment: see section 8

Provide adequate ventilation.

Avoid dust formation. In case of inadequate ventilation wear

respiratory protection.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel: Remove persons to safety.

No information available. For emergency responders:

6.2 **Environmental precautions:** Do not allow to enter into surface water or drains. Do not allow

to enter into soil/subsoil.

Methods and material for containment and cleaning up

For containment: Take up mechanically. Avoid dust formation. Collect in closed

and suitable containers for disposal. Dispose of

waste according to applicable legislation.

For cleaning up: Clean with detergents. Avoid solvent cleaners.

Other information: Provide fresh air.

Reference to other sections: Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling: Wear personal protection equipment (refer to section 8).

Keep container tightly closed.

Avoid contact with skin, eyes and clothes.

According to Regulation (EC) No 1907/2006



Page 4 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile

Multilayer

Avoid release to the environment. Clear spills immediately.

Avoid dust formation. Avoid: Dust deposits

Do not breathe dust. In case of inadequate ventilation wear

respiratory protection.

Advice on protection against fire and

explosion:

No special fire protection measures are necessary.

Advice on general occupational hygiene: Minimum standard for preventive measures while handling

with working materials are specified in the TRGS

500.

Wash contaminated clothing prior to re-use. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work.

Further information on handling:

Avoid dust formation. Protect from moisture. Provide adequate

ventilation as well as local exhaustion at critical locations.

To follow: Occupational exposure limit values.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and

vessels:

Keep/Store only in original container.

Keep the packing dry and well sealed to prevent contamination

and absorption of humidity.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

Advice on storage compatibility:

Keep the packing dry and well-sealed to prevent

contamination and absorption of humidity.

Further information on storage

conditions:

Keep away from: Frost, Heat Protect from moisture. Handle with care - avoid bumps, friction and impact.

7.3 Specific end use(s): No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS No	Substance	ppm	mg/m³	fib/cm ³	Category	Origin
-	Dust non-specific, respirable	-	4		TWA (8 h)	
-	Dust non-specific, total inhalable	-	10		TWA (8 h)	

8.2 Exposure controls

Appropriate engineering controls:

Technical ventilation of workplace.

Individual protection measures, such as personal protective equipment

Eye/face protection:

Suitable eye protection: EN 166

Eye glasses with side protection goggles

According to Regulation (EC) No 1907/2006



Page 5 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile Multilayer

Hand protection:

Tested protective gloves must be worn: EN ISO 374

The quality of the protective gloves resistant to chemicals must

be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl

rubber)

Breakthrough times and swelling properties of the material

must be taken into consideration. Observe the wear time limits as specified by the manufacturer.

Replace when worn out.

Skin protection:

Protective clothing.

Respiratory protection:

Usually no personal respirative protection necessary.

Respiratory protection necessary at: exceeding

exposure limit values, dust formation.

Use appropriate respiratory protection. Particle filter device

(EN 143)

Thermal hazards:

No information available.

Environmental exposure controls:

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: solid, Powder Colour: white Odour: odourless

Changes in the physical state

Melting point/freezing point:

No data available
Boiling point or initial boiling point and
No data available

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Decomposition temperature: No data available pH-Value: No data available Water solubility: practically insoluble Solubility in other solvents: No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

No data available

No data available

No data available

No data available

1.000-1.500 kg/m³

Relative vapour density:

No data available

9.2 Other information

Information with regard to physical hazard classes

Explosive properties:

Sustained combustibility:

No data available

No data available

Self-ignition temperature

Solid: No data available Gas: No data available

According to Regulation (EC) No 1907/2006



Page 6 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile

Multilayer

Oxidizing properties. No data available

Other safety characteristics

Evaporation rate: No data available

Solid content: 100,00 %

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

Viscosity / dynamic:

No data available

Further Information: No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: No hazardous reaction when handled and stored according to

provisions.

10.2 Chemical stability: The product is chemically stable under recommended

conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions: No information available.

10.4 Conditions to avoid:No information available.

10.5 Incompatible materials: No information available.

10.6 Hazardous decomposition products: MetalOx

Further information: No further relevant information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and

distribution:

No information available.

Acute toxicity:Based on available data, the classification criteria are not met.

ATEmix calculated: ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE

(inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

Irritation and corrosivity: Skin corrosion/irritation: Based on available data, the

classification criteria are not met.

Serious eye damage/eye irritation: Based on available data,

the classification criteria are not met.

Sensitising effects: Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction:

Germ cell mutagenicity:

Carcinogenicity:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

According to Regulation (EC) No 1907/2006



Page 7 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile Multilayer

nuitilayei

Aspiration hazard: Based on available data, the classification criteria are not met.

Practical experience: After eye contact: Dust may cause mechanical irritation.

Following inhalation: dust/mist May cause respiratory irritation.

11.2 Information on other hazards

Further information:

Calculation method.

SECTION 12: Ecological information

12.1 Toxicity: Harmful to aquatic life with long lasting effects.

No information available.

12.2 Persistence and degradability: Product/Substance is inorganic.

12.3 Bioaccumulative potential: No information available.

12.4 Mobility in soil:No information available.

12.5 Results of PBT and vPvB assessment: The substances in the mixture do not meet the PBT/vPvB

criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties: This product does not contain a substance that has endocrine

disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects: No information available.

Further information: Water hazard class 2

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal recommendations: Dispose of waste according to applicable legislation. The

allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry

and process. (AVV 200130)

Hazardous waste according to Directive 2008/98/EC (waste

framework directive).

Contaminated packaging: Dispose of waste according to applicable legislation. Non-

contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1 UN number or ID number: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1 UN number or ID number: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1 UN number or ID number: No dangerous good in sense of this transport regulation.

According to Regulation (EC) No 1907/2006



Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile

Multilayer

14.5 Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

No dangerous good in sense of this transport regulation.

14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code:

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

14.6 Special precautions for user:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information: Classification according to Regulation (EC) No 1272/2008

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH)

Directive (EU) 2018/851 of the European Parliament and of

the Council of 30 May 2018 amending Directive

2008/98/EC on waste

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain

Directives

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to

the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information: Germany:

> Hazardous Substances Ordinance (GefStoffV) Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV)

TRGS 201, TRGS 220, TRGS 400, TRGS 420, TRGS 500, TRGS 509, TRGS 510, TRGS 555, TRGS 600, TRGS 900

DGUV Information 213-850 DGUV Information 213-730

15.2 Chemical safety assessment: For the following substances of this mixture a chemical safety

assessment has been carried out: Dierbium trioxide

SECTION 16: Other information

Abbreviations and acronyms

Aquatic Acute: Aquatic Chronic: Acute aquatic hazard Chronic aquatic hazard

ADR:

Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

According to Regulation (EC) No 1907/2006



Page 9 of 9

Revision date: 05.05.2025 Revision No: 06 Printing date: 23.06.2025

Zirkon BioStar HT Smile, Zirkon BioStar HT Smile Colour, Zirkon BioStar HT Smile Multilayer

RID: Règlement international conernat le transport des marchandises dangereuses par

chemin de fer (Regulations Concerning the International Transport of Dangerous Goods

by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

[]	
Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)