



Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

1 Identification

- **Product identifier**
- **Trade name: FotoDent denture 385nm opaque / transparent**
- **Application of the substance / the mixture**
Material based on methacrylate resin for DLP-systems with UV LED 385 nm for the manufacturing of denture base
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Dreve Dentamid GmbH
Max-Planck-Straße 31
59423 Unna / Germany
Tel.: + 49 2303 / 8807-0
Fax.: +49 2303 / 8807-55
- **Information department:**
Department Research & Development
Fax.: +49 2303 8807-562
Email: sicherheitsdatenblatt@dreve.de
- **Emergency telephone number:**
+49 211 797-3350
Plant Fire Department Henkel

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

Neopentylglycol(PO)2 Diacrylate

Diphenyl(2,4,6-trimethylbenzoyl)phosphin oxide

pigment paste

- **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 1)

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

- Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:**

- NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

- HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

- Other hazards**

- Results of PBT and vPvB assessment**

- PBT:** Not applicable.

- vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures**

- Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:**

84170-74-1	Neopentylglycol(PO)2 Diacrylate	25-50%
	Urethantrimethacrylat, aliphatisch	10-25%
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphin oxide	≤2.5%
	pigment paste	≤2.5%

- Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures**

- General information:** Immediately remove any clothing soiled by the product.

- After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing:**

Do not induce vomiting.

(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 2)

- Call a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Avoid contact with skin and eyes.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• PAC-1:
None of the ingredients is listed.

• PAC-2:
None of the ingredients is listed.

• PAC-3:
None of the ingredients is listed.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Avoid contact with skin and eyes.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 3)

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Protect from heat and direct sunlight.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Do not inhale fumes.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Nitrile rubber, NBR

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

Diese Empfehlung gilt nur für das im Sicherheitsdatenblatt genannte Produkt. Bei Vermischung mit anderen Substanzen und bei von der EN 374 abweichenden Bedingungen müssen Sie sich an den Hersteller von CE-genehmigten Handschuhen wenden.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 4)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Color: Pink

- **Odor:** Characteristic

- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 225 °C (437 °F)

- **Flash point:** >100 °C (>212 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 200 °C (392 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Oxidizing properties** Not determined

Not applicable.

- **Vapor pressure:** Not determined.

- **Density at 20 °C (68 °F):** 1.08 g/cm³ (9.0126 lbs/gal)

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 6)

US



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 5)

· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No dangerous reactions if used according to specifications
- **Chemical stability** Stable if used according to specifications
- **Thermal decomposition / conditions to be avoided:**
Protect from heat and direct sunlight.
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

79-10-7 | acrylic acid

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 6)

- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT	Void
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT	Void
· ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Neopentylglycol(PO) ₂ Diacrylate, Diphenyl(2,4,6-trimethylbenzoyl)phosphinooxide)
	3082 UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G. (Neopentylglycol(PO) ₂ Diacrylate, Diphenyl(2,4,6-trimethylbenzoyl)phosphinooxid)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Neopentylglycol(PO) ₂ Diacrylate, Diphenyl(2,4,6-trimethylbenzoyl)phosphinooxide), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Neopentylglycol(PO) ₂ Diacrylate, Diphenyl(2,4,6-trimethylbenzoyl)phosphinooxide)

(Contd. on page 8)

US



Safety Data Sheet



acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 7)

<ul style="list-style-type: none"> • Transport hazard class(es) • DOT • Class 	Void
<ul style="list-style-type: none"> • ADR, IMDG, IATA  	
<ul style="list-style-type: none"> • Class • Label 	9 Miscellaneous dangerous substances and articles 9
<ul style="list-style-type: none"> • Packing group • DOT • ADR, IMDG, IATA 	Void III
<ul style="list-style-type: none"> • Environmental hazards: • Marine pollutant: • Special marking (ADR): • Special marking (IATA): 	Product contains environmentally hazardous substances: Neopentylglycol(PO)2 Diacrylate Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> • Special precautions for user • Danger code (Kemler): • EMS Number: • Stowage Category 	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
<ul style="list-style-type: none"> • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> • Transport/Additional information: 	According to special provision no 375 (ADR chapter 3.3), according to special provision no 969 (IMDG chapter 3.3 in conjunction with IMDG chapter 2.10.2.7) and according to special provision no A197 (IATA chapter 4.4) single - respectively inner packagings with a net quantity < 5 l / 5 kg aren't liable to the regulations, meaning those don't need to be sent as hazardous goods. Labelling with pictogram GHS09 is not necessary.
<ul style="list-style-type: none"> • ADR • Excepted quantities (EQ) 	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none"> • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 8)

• **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(NEOPENTYLGLYCOL(PO)₂ DIACRYLATE,
DIPHENYL(2,4,6-TRIMETHYLBENZOYL)
PHOSPHINOXIDE), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

• **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

• **Section 313 (Specific toxic chemical listings):**

79-10-7 acrylic acid

• **TSCA (Toxic Substances Control Act):**

• **Hazardous Air Pollutants**

None of the ingredients is listed.

• **Proposition 65**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogen categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

79-10-7 acrylic acid

A4

• **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms**



GHS07 GHS08

(Contd. on page 10)

US



Safety Data Sheet acc. to OSHA HCS

Printing date 09/26/2019

Reviewed on 09/26/2019

Trade name: FotoDent denture 385nm opaque / transparent

(Contd. of page 9)

- **Signal word** Warning
- **Hazard-determining components of labeling:**
Neopentylglycol(PO)2 Diacrylate
Diphenyl(2,4,6-trimethylbenzoyl)phosphin oxide
pigment paste
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
- **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Department Research & Development
- **Contact:** Dr. Thomas Veit, Lothar Sutor
- **Date of preparation / last revision** 09/26/2019 / 3
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 2: Reproductive toxicity – Category 2
- *** Data compared to the previous version altered.**

US