




**Gipex**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1 Product identifier**  
Commercial product name: Gipex gypsum dissolving agent
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Application of the substance / the mixture: Auxiliary for dental technology
- 1.3 Details of the supplier of the safety data sheet**  
Manufacturer/Supplier: ERNST HINRICHS Dental GmbH  
Street / mailbox: Borsigstr. 1  
Country code. / postal code / city: D - 38644 Goslar  
Phone: 0 53 21 / 5 06 24  
Fax: 0 53 21 / 5 08 81  
E-mail / Website: info@hinrichs-dental.de / www.hinrichs-dental.de  
Further information obtainable from: ERNST HINRICHS Dental GmbH
- 1.4 Emergency telephone number**  
ERNST HINRICHS Dental GmbH: +49 (0) 53 21 / 5 06 24 (Mon-Fri. 8 a.m. – 4 p.m.)

**SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture**  
**Classification according to Regulation (EC) No 1272/2008:**  
STOT RE 2 H373 May cause damage to the lung through prolonged or repeated exposure.  
Route of exposure: Inhalation.
- 2.2 Label elements:**  
**Labelling according to Regulation (EC) No 1272/2008:** The product is classified and labelled according to the CLP regulation.
- Hazard pictograms:**  
  
GHS08
- Signal word:** Warning
- Hazard-determining components of labelling:** disodium dihydrogenethylenediaminetetraacetate
- Hazard statements:**  
H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- Precautionary statements:**  
P260 Do not breathe spray.  
P280: Wear protective gloves / eye protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards:**  
**Results of PBT and vPvB assessment:**

















